



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/805,966	03/22/2004	Vikram Singh	2003-42/43	2603

7590 06/28/2006

Mark Superko, Esq.  
Varian Semiconductor Equipment Associates, Inc.  
35 Dory Road  
Gloucester, MA 01930

EXAMINER

ALEJANDRO MULERO, LUZ L

ART UNIT PAPER NUMBER

1763

DATE MAILED: 06/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/805,966

Applicant(s)

SINGH ET AL.

Examiner

Luz L. Alejandro

Art Unit

1763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 13 April 2006.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) 6, 22 and 23 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-21 and 24-32 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 0304, 0105
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Election/Restrictions***

Applicant's election without traverse of group I and specie A, claims 1-5, 7-21 and 24-32 in the reply filed on 4/13/06 is acknowledged.

### ***Claim Objections***

Claim 26 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claim 26 does not limit independent claim 24 because the limitation of the top conductive section being liquid cooled is already contained in claim 24.

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 10 and 27-30 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The specification, as originally filed, does not enable one of ordinary skill in

Art Unit: 1763

the art how to make an apparatus in which a parasitic antenna is coupled to the plasma chamber via a thermally conductive elastomer.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 7-8, and 11 are rejected under 35 U.S.C. 102(b) as being anticipated by Kadomura, U.S. Patent 5,567,268.

Kadomura shows the invention as claimed including a plasma apparatus comprising: a plasma chamber configured to receive a process gas; a radio frequency source 39 configured to resonate radio frequency currents in a radio frequency antenna; a radio frequency antenna including an active antenna (22 or 31) surrounding the plasma chamber and coupled to the RF source and a parasitic antenna (31 or 22) surrounding the plasma chamber and not directly coupled to any RF source; and a platen 29 for holding a target, wherein electromagnetic fields induced by the radio frequency currents are effective to pass into the plasma chamber and excite and ionize the process gas to generate plasma within the plasma chamber (see figs. 2-3 and their description).

Concerning claims 2-3, note that the active antenna can be considered either the vertically or the horizontally extending coil (22 or 31) depending upon which coil has the

Art Unit: 1763

RF power applied. Furthermore, note that the parasitic antenna (31 or 22) can be considered either the vertically or the horizontally extending coil depending upon which coil is left open.

Regarding claim 7, note that the inner diameter of each antenna is greater than a size of the target.

With respect to claim 8, note that the parasitic antenna can be considered to be above and coaxial with the active antenna.

Concerning claim 11, the plasma chamber includes: a horizontal planar section 24 positioned above the platen 29; a vertical cylindrical section extending from the horizontal planar section; and a top section 21 coupled to the vertically cylindrical section.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

Art Unit: 1763

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Sahin et al., U.S. Patent 6,465,051.

Kadomura is applied as above but does not expressly disclose where the parasitic antenna has one of its ends grounded. Sahin et al. discloses grounding an antenna 26 during processing, for example, in order to perform a cleaning process (see fig. 1 and its description). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura so as to allow for grounding of either of the antennas to allow for more flexibility when using the apparatus, for example, to allow for efficient cleaning of the apparatus.

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Sahin et al., U.S. Patent 6,465,051, as applied to claim 4 above, and further in view of Okumura et al., U.S. Patent 5,888,413.

Kadomura and Sahin et al. are applied as above but do not expressly disclose means for adjusting a number of turns of the parasitic antenna providing a parasitic effect. Okumura et al. discloses means for adjusting the length and the number of turns of a coil (see figs. 20-23 and their descriptions). In view of this disclosure, it would have

Art Unit: 1763

been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura modified by Sahin et al. so as to allow the coils to have their lengths and turns adjusted as suggested by Okumura et al. because in such a way the plasma density can be effectively controlled and adjusted.

Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Ishimaru, U.S. Patent 5,681,418.

Kadomura is applied as above but does not expressly disclose wherein at least one antenna is liquid cooled. Ishimaru discloses forming a coil 40 which flows liquid water coolant therethrough (see col. 5-lines 13-21). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura so as to liquid cool the antenna because in such a way overheating of the antenna can be prevented.

Claims 12-13 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Collins et al., U.S. Patent 5,556,501.

Kadomura is applied as above but does not expressly disclose wherein the vertical cylindrical section is made of a high quality dielectric, and the top conductive section is made of aluminum and grounded. Collins et al. discloses wherein a vertical cylindrical section 17W is made of a dielectric, and the top conductive section 17T is made of aluminum and grounded (see fig. 1 and its description). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the

Art Unit: 1763

invention was made to modify the apparatus of Kadomura so as to comprise the vertically cylinder and top conductive section of Collins et al. because this will allow the improvement of process uniformity.

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Collins et al., U.S. Patent 5,556,501 as applied to claims 12-13 and 15 above, and further in view of Fitzsimmons et al., U.S. Patent 6,626,188.

Kadomura and Collins et al. are applied as above but do not expressly disclose wherein the ceramic material is one from a list including aluminum nitride. Fitzsimmons et al. discloses having aluminum nitride walls exposed to the plasma within the chamber (see fig. 3 and its description). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura modified by Collins et al. so as to form aluminum nitride in the plasma chamber because in such a way beneficial results will be produced such as the reduction of contamination.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Collins et al., U.S. Patent 5,556,501 as applied to claims 12-13 and 15 above, and further in view of Trow et al., U.S. Patent 5,824,607.



Art Unit: 1763

Kadomura and Collins et al. are applied as above but do not expressly disclose where the top conductive section is liquid cooled. Trow et al. discloses where a top conductive section is cooled by liquid (see col. 4-lines 40-50). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura modified by Collins et al. so as to cool by liquid because liquid is shown to be an adequate means of cooling a top conductive member of a plasma apparatus.

Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Kumagai, U.S. Patent 5,916,455.

Kadomura is applied as above but does not expressly disclose a plasma igniter for introducing a strike gas into the plasma chamber to assist in igniting a plasma. Kumagai discloses a plasma igniter 30 for introducing a strike gas into the plasma chamber to assist in igniting a plasma (see fig. 1-2 and their descriptions). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura so as to comprise a plasma igniter because in such a way plasma will be more easily ignited for processing within the apparatus.

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Collins, U.S. Patent 5,707,486.

Art Unit: 1763

Kadomura is applied as above but does not expressly disclose a gas source controller for maintaining a pressure of a plasma chamber at a predetermined value. Collins discloses a controller for controlling the pressure of a plasma chamber (see col. 13-lines 6-20). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura so as to include the controller of Collins to control the pressure of the plasma chamber because such a device would allow for greater controllability over the process performed within the apparatus.

Claims 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kadomura, U.S. Patent 5,567,268 in view of Collins et al., U.S. Patent 5,556,501.

Kadomura is applied as above but does not expressly disclose the RF source operating at a low frequency. Collins et al. discloses a RF source 31 which has a frequency in a range from 100kHz to 100 Mhz (see col. 11-lines 25-40). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Kadomura so as to provide the RF source of Collins et al. because this will allow for the selection of a top source which minimizes damage to sensitive devices and also provides efficient inductive coupling.

Claims 24-26 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Collins et al., U.S. Patent 5,556,501 in view of Trow et al., U.S. Patent 5,824,607.

Collins et al. shows the invention substantially as claimed including a plasma chamber comprising: a horizontal planar dielectric section 13 for positioning above a platen; a vertical cylindrical dielectric section 17W extending from the horizontal planar section; and a cooled top conductive section 17T coupled to the vertical dielectric section (see fig. 1 and its description).

Collins et al. does not expressly disclose where the top conductive section is liquid cooled. Trow et al. discloses where a top conductive section is cooled by liquid (see col. 4-lines 40-50). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Collins et al. so as to cool by liquid because liquid is shown to be an adequate means of cooling a top conductive member of a plasma apparatus.

With respect to claim 31, rearrangement of parts has been held to have been obvious and the particular configuration of the apparatus is a matter of choice that a person of ordinary skill in the art would have found obvious absent persuasive evidence that the particular configuration of the claimed container is significant.

Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Collins et al., U.S. Patent 5,556,501 in view of Trow et al., U.S. Patent 5,824,607 as applied to claims 24-26 and 31 above, and further in view of Kumagai, U.S. Patent 5,916,455.

Collins et al. and Trow et al. are applied as above but do not expressly disclose a strike gas inlet. Kumagai discloses a strike gas inlet (see ignition chamber 30) whereby plasma is ignited and expelled into the inductively coupled plasma chamber (see fig. 1-2

Art Unit: 1763

and their descriptions). In view of this disclosure, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the apparatus of Collins et al. modified by Trow et al. so as to comprise a strike gas inlet because in such a way plasma will be more easily ignited for processing within the apparatus.


### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luz L. Alejandro whose telephone number is 571-272-1430. The examiner can normally be reached on Monday to Thursday from 7:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Parviz Hassanzadeh can be reached on 571-272-1435. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Luz L. Alejandro  
Primary Examiner  
Art Unit 1763

June 26, 2006